THERMOCHIMICA ACTA, VOLUME 136 (1988)

AUTHOR INDEX

Abas, K.F. 81
Abate, L. 153
Ansari, M.N. 315

Bardi, G. 313
Baron, M.C. 103
Bhardwaj, S. 315
Brown, I.W.M. 247

Camby, B.S. 179
Cardile, C.M. 247
Chaudhuri, N.R. 191
Chevalier, P.-Y. 45
Chisari, A. 153
Comninellis, Ch. 19

van Deventer, J.S.J. 179

Eadie, S.S. 231
El-Kabbany, F. 7
Elkholy, A.E. 1

Ferid, M. 139
Font, J. 55
Franklin, K.R. 307

Ghosh, A. 191
Ghosh, J.K. 73
Giolito, I. 319, 327, 335
Groza, I.A. 19

Hamed, M.M.A. 23
van Hees, J. 343
Huang, G.-S. 133

Ihara, Y. 279
Ionashiro, M. 319, 327, 335

Jain, M.C. 315
Jere, G.V. 73
Jones, M.N. 287

Kanetsuna, H. 163
Kato, M. 297
Kbir-Ariguib, N. 139
Khalil, E.A. 1
Khanna, Y.P. 219
King, A. 307
Kurosawa, T. 297

Labean, M.S. 231
Legendre, B. 87
Leroy, K. 343
Lowe, B.M. 307

MacKenzie, K.J.D. 247
Maggiore, R. 153
Marangoni, G. 119
Marrosu, G. 209
Martin-Gil, J. 33
Masoud, M.S. 1
Matějková, L. 263
Mentasti, E. 203
Mizutani, N. 297
Mouloudj, N. 87, 103
Mousa, M.A. 23
Mullens, J. 343
Muntasell, J. 55

Nakamura, K. 163
Nakamura, S. 163
Nanjyo, A. 297
Navarro, J. 55
Nevřiva, M. 263
Nogueira, M. 287

Palepu, R. 119
Paz-Andrade, M.I. 287
Petot, C. 87, 103
Petot-Ervas, G. 87
Pollert, E. 263
Porta, V. 203
van Poucke, L.C. 343

Rey, F.J. 33
Rodante, F. 209
Roy, S. 191

Sakura, M. 279
Salman, S.R. 81
Sarmiento, F. 287
Sarzanini, C. 203
Šcsták, J. 263
Shakir, W.M. 149
Shinozaki, K. 297
Siracusa, G. 153
Soliman, E.M. 1
Stradella, L. 203

Taha, S. 7
Tararit, J.Ll. 55
Taylor, T.J. 219
Todoki, M. 163
Trabelsi-Ayedi, M. 139
Trionfetti, G. 313
Tříska, A. 263

Whiting, L.F. 231
Worth, G. 119

Xu, Z.-H. 133

Yperman, J. 343

THERMOCHIMICA ACTA, VOLUME 136 (1988)

SUBJECT INDEX

A_xB_y,
Thermochemistry of inorganic compounds. Part 1. Estimation of entropies of A_xB_y types of solids (Huang, Xu) 133

Activated carbon,
Kinetics of the thermal regeneration of spent activated carbon in a fluidized bed (van Deventer, Camby) 179

Ag–Sn,
A thermodynamic evaluation of the Ag–Sn system (Chevalier) 45

Alkali metal halides,
Physicochemical properties of concentrated solutions of some alkali metal halides in aqueous thiourea solutions (Palepu et al.) 119

Al_2Se_3,
The vapour pressure over Al_2Se_3 (Bardi, Trionfetti) 313

Aminobenzoic acids,
Thermodynamic functions of the transfer of aminobenzoic acids from water to water–acetone mixtures at 25°C (Mousa, Hamed) 23

Anion-exchange resin,
Calorimetry study of the exchange equilibrium between ligands or metal–ligands and an anion-exchange resin (Stradella et al.) 203

$BaCuO_2$–$YBa_2Cu_3O_{6.5}$–$YCuO_{2.5}$,
Phase diagram of the pseudobinary $BaCuO_2$–$YBa_2Cu_3O_{6.5}$–$YCuO_{2.5}$ system (Nevriva et al.) 263

Barbituric acid compounds,
Temperature and substituent effects on the dissociation constants of some 5-(*p*-substituted phenylazo) barbituric acid compounds (Masoud et al.) 1

Calorimetry,
Study of the thermodynamic properties of liquid mixtures of selenium–tellurium. Part II. Determination of thermodynamic properties by calorimetry and study of the structural properties (Mouloudj, et al.) 103

cis-Dihalogeno-(2,2′,2″-triaminotriethylamine) nickel(II),
Thermal syntheses and the electronic spectra of cis-dihalogeno-(2,2′,2″-triaminotriethylamine)nickel(II) complexes (Ihara, Sakura) 279

Differential scanning calorimetry,
Evaluation of a capillary tube sample container for differential scanning calorimetry (Whiting et al.) 231

Dissociation constants,
Temperature and substituent effects on the dissociation constants of some 5-(*p*-substituted phenylazo) barbituric acid compounds (Masoud et al.) 1

Double selenates,
Studies on double selenates. VI. Thermal decomposition of gadolinium, terbium, dysprosium and alkali metal double selenates (Giolito, Ionashiro) 319
Studies on double selenates. VII. Thermal decomposition of holmium, erbium, thulium and alkali metal double selenates (Ionashiro, Giolito) 327
Studies on double selenates. VIII. Thermal decomposition of ytterbium, lutetium, yttrium and alkali metal double selenates (Giolito, Ionashiro) 335

Electrochemical behaviour,
Influence of heat treatment on the electrochemical behaviour of nickel (Comninellis, Groza) 19

E.m.f. measurements,
Study of the thermodynamic properties of liquid mixtures of selenium–tellurium. Part I. Determination of thermodynamic properties by the method of e.m.f. measurements (Mouloudj et al.) 87

Exchange equilibrium,
Calorimetry study of the exchange equilibrium between ligands or metal–ligands and an anion-exchange resin (Stradella et al.) 203

Fluidized bed,
Kinetics of the thermal regeneration of spent activated carbon in a fluidized bed (van Deventer, Camby) 179

Glauconite,
Thermal and Mössbauer studies of iron-containing hydrous silicates. VII. Glauconite (MacKenzie et al.) 247

Group surface interactions,
Thermodynamics of ketone + ether mixtures using a generalized quasichemical theory in

terms of group surface interactions (Rey, Martin-Gil) 33

Hydrous silicates,
Thermal and Mössbauer studies of iron-containing hydrous silicates. VII. Glauconite (MacKenzie et al.) 247
2-Hydroxyadamantane,
Thermal behaviour of 2-hydroxyadamantane (Salman, Abas) 81

$KEr(PO_3)_4$,
Study of the equilibrium diagram of the system KPO_3–$Er(PO_3)_3$ and the allotropic forms of $KEr(PO_3)_4$ (Ferid et al.) 139
Ketones + ether mixtures,
Thermodynamics of ketone + ether mixtures using a generalized quasichemical theory in terms of group surface interactions (Rey, Martin-Gil) 33
Kinetic models,
The distinguishability of kinetic models using a single, non-isothermal thermal analysis experiment (Taylor, Khanna) 219
$K_3[Nb(O_2)_4]$,
Kinetics of solid state decomposition of $K_3[Nb(O_2)_4]$ and $K_3[Ta(O_2)_4]$: a thermogravimetric study (Ghosh, Jere) 73
KPO_3–$Er(PO_3)_3$,
Study of the equilibrium diagram of the system KPO_3–$Er(PO_3)_3$ and the allotropic forms of $KEr(PO_3)_4$ (Ferid et al.) 139
$K_3[Ta(O_2)_4]$,
Kinetics of solid state decomposition of $K_3[Nb(O_2)_4]$ and $K_3[Ta(O_2)_4]$: a thermogravimetric study (Ghosh, Jere) 73

Lithium nitrate–potassium nitrate eutectic,
Molten lithium nitrate–potassium nitrate eutectic: the reaction of tin(II) chloride (Kerridge, Shakir) 149

Malonaldehyde,
The interaction of malonaldehyde with myosin and its subfragments: a microcalorimetric study (Sarmiento et al.) 287
2-Mercaptophenyl-4-benzamidothiosemicarbazide,
Thermodynamic studies of some complexes of 2-mercaptophenyl-4-benzamidothiosemicarbazide (Bhardwaj et al.) 315
N-Methyl-1,2-ethanediamine,
Thermal phase transition and decomposition of *N*-methyl-1,2-ethanediamine complexes of nickel(II) in the solid state (Roy et al.) 191
Microcomputer,
Use of a BBC microcomputer for the collection and processing of thermal analysis data (Franklin et al.) 307
Myosin,
The interaction of malonaldehyde with myosin and its subfragments: a microcalorimetric study (Sarmiento et al.) 287

Nickel,
Influence of heat treatment on the electrochemical behaviour of nickel (Comninellis, Groza) 19
Nickel(II),
Thermal phase transition and decomposition of *N*-methyl-1,2-ethanediamine complexes of nickel(II) in the solid state (Roy et al.) 191
Thermal syntheses and electronic spectra of cis-dihalogeno-(2,2′,2″-triaminotriethylamine)nickel(II) complexes (Ihara, Sakura) 279

Pentaglycerine/neopentylglycol,
Pentaglycerine/neopentylglycol mixtures: formation of a solid solution (Font et al.) 55
Polymer samples,
Thermal analysis of polymer samples by a round robin method. I. Reproducibility of melting, crystallization and glass transition temperatures (Nakamura et al.) 163

Selenium–tellurium,
Study of the thermodynamic properties of liquid mixtures of selenium–tellurium. Part I. Determination of thermodynamic properties by the method of e.m.f. measurements (Mouloudj et al.) 87
Study of the thermodynamic properties of liquid mixtures of selenium–tellurium. Part II. Determination of thermodynamic properties by calorimetry and study of the structural properties (Mouloudj et al.) 103
Solid solution,
Pentaglycerine/neopentylglycol mixtures: formation of a solid solution (Font et al.) 55
$Sr(NO_3)_2$,
Temperature dependence of IR analysis of $Sr(NO_3)_2$ (El-Kabbany, Taha) 7
Structural properties,
Study of the thermodynamic properties of liquid mixtures of selenium–tellurium. Part II. Determination of thermodynamic proper-

ties by calorimetry and study of the structural properties (Mouloudj, et al.) 103

Superconductors
A thermogravimetric study of the uptake of oxygen by $YBa_2Cu_3O_x$ (Leroy et al.) 343

Tin(II) chloride,
Molten lithium nitrate–potassium nitrate eutectic: the reaction of tin(II) chloride (Kerridge, Shakir) 149

Uranyl acetate dihydrate–*N*,*N*′-dimethylthiourea system
Thermal behaviour of uranium(VI) complexes. Uranyl acetate dihydrate-*N*,*N*′-dimethylthiourea system: synthesis and decomposition (Abate et al.) 153

Water–dimethylsulfoxide,
Excess molar isobaric heat capacities and excess molar enthalpies for water–dimethylsulfoxide mixtures at 25 °C (Rodante, Marrosu) 209

$YBa_2Cu_3O_{7-x}$,
Chemical stability of $YBa_2Cu_3O_{7-x}$ to various atmospheres (Shinozaki et al) 297

CONTENTS

Obituary vii

Temperature and substituent effects on the dissociation constants of some 5-(*p*-substituted phenylazo) barbituric acid compounds
M.S. Masoud, E.M. Soliman, A.E. Elkholy and E.A. Khalil (Alexandria, Egypt) 1

Temperature dependence of IR analysis of $Sr(NO_3)_2$
F. El-Kabbany and S. Taha (Cairo, Egypt) 7

Influence of heat treatment on the electrochemical behaviour of nickel
Ch. Comninellis (Lausanne, Switzerland) and I.A. Groza (Kishinev, MSSR, U.S.S.R.) 19

Thermodynamic functions of the transfer of aminobenzoic acids from water to water–acetone mixtures at 25 °C
M.A. Mousa (Benha, Egypt) and M.M.A. Hamed (Assiut, Egypt) 23

Thermodynamics of ketones + ether mixtures using a generalized quasichemical theory in terms of group surface interactions
F.J. Rey and J. Martin-Gil (Valladolid, Spain) 33

A thermodynamic evaluation of the Ag–Sn system
P.-Y. Chevalier (Saint Martin d'Hères, France) 45

Mélanges pentaglycérine/néopentylglycol: formation d'une solution solide
J. Font, J. Muntasell, J. Navarro and J.L. Tamarit (Barcelona, Spain) 55

Kinetics of solid state decomposition of $K_3[Nb(O_2)_4]$ and $K_4[Ta(O_2)_4]$: a thermogravimetric study
J.K. Ghosh and G.V. Jere (New Delhi, India) 73

Thermal behaviour of 2-hydroxyadamantane
S.R. Salman and K.F. Abas (Baghdad, Iraq) 81

Etude des propriétés thermodynamiques des alliages liquides selenium–tellure. Partie I. Determination des propriétiés thermodynamiques par la methode des f.e.m. de piles
N. Mouloudj, G. Petot-Ervas, C. Petot (Villetaneuse, France) and B. Legendre (Chatenay-Malabry, France) 87

Etude des propriétés thermodynamiques des alliages liquides selenium–tellure. Partie II. Determination des propriétés thermodynamiques par calorimetrie et étude des propriétés structurales des alliages liquides selenium–tellure
N. Mouloudj, M.C. Baron et C. Petot (Villetaneuse, France) 103

Physicochemical properties of concentrated solutions of some alkali metal halides in aqueous thiourea solutions
R. Palepu, G. Worth and G. Marangoni (Sydney, Nova Scotia, Canada) 119

Thermochemistry of inorganic compounds. Part 1. Estimation of entropies of A_xB_y types of solids
G.-S. Huang and Z.-H. Xu (Beijing, China) 133

Etude du diagramme d'équilibre de système KPO_3–$Er(PO_3)_3$ et des formes allotropiques des phosphates condensés $KEr(PO_3)_4$
M. Ferid, N. Kbir-Ariguib (Tunis, Tunisia) and M. Trabelsi-Ayedi (Bizerte, Tunisia) 139

Molten lithium nitrate–potassium nitrate eutectic: the reaction of tin(II) chloride
D.H. Kerridge and W.M. Shakir (Southampton, Gt. Britain) 149

Thermal behaviour of uranium(VI) complexes. Uranyl acetate dihydrate–*N*,*N*′-dimethylthiourea system: synthesis and decomposition
L. Abate, A. Chisari, R. Maggiore and G. Siracusa (Catania, Italy) 153

Thermal analysis of polymer samples by a round robin method I. Reproducibility of melting, crystallization and glass transition temperatures
S. Nakamura, K. Nakamura (Yokohama, Japan), M. Todoki (Shiga, Japan) and H. Kanetsuna (Ibaraki, Japan) 163

Kinetics of the thermal regeneration of spent activated carbon in a fluidized bed
J.S.J. van Deventer and B.S. Camby (Stellenbosch, South Africa) 179

Thermal phase transition and decomposition of *N*-methyl-1,2-ethanediamine complexes of nickel(II) in the solid state
S. Roy, A. Ghosh and N.R. Chaudhuri (Calcutta, India) 191
Calorimetry study of the exchange equilibrium between ligands or metal–ligands and an anion-exchange resin
L. Stradella, C. Sarzanini, E. Mentasti and V. Porta (Torino, Italy) 203
Excess molar isobaric heat capacities and excess molar enthalpies for water–dimethylsulfoxide mixtures at 25 °C
F. Rodante and G. Marrosu (Rome, Italy) 209
The distinguishability of kinetic models using a single, non-isothermal thermal analysis experiment
T.J. Taylor and Y.P. Khanna (Morristown, NJ, U.S.A.) 219
Evaluation of a capillary tube sample container for differential scanning calorimetry
L.F. Whiting, M.S. Labean and S.S. Eadie (Midland, MI, U.S.A.) 231
Thermal and Mössbauer studies of iron-containing hydrous silicates. VII. Glauconite
K.J.D. MacKenzie, C.M. Cardile and I.W.M. Brown (Petone, New Zealand) 247
Phase diagram of the pseudobinary $BaCuO_2$–$YBa_2Cu_3O_{6.5}$–$YCuO_{2.5}$ system
M. Nevřiva, E. Pollert, J. Šesták, L. Matějková and A. Tříska (Na Slovance, Czechoslovakia) . 263
Thermal syntheses and the electronic spectra of *cis*-dihalogeno-(2,2′,2″-triaminotriethylamine)-nickel(II) complexes
Y. Ihara and M. Sakura (Kanazawa, Japan) 279
The interaction of malonaldehyde with myosin and its subfragments: a microcalorimetric study
F. Sarmiento, M. Nogueira, M.I. Paz-Andrade (Santiago de Compostela, Spain) and M.N. Jones (Manchester, Gt. Britain) 287
Chemical stability of $YBa_2Cu_3O_{7-x}$ to various atmospheres
K. Shinozaki, T. Kurosawa, A. Nanjyo, N. Mizutani and M. Kato (Tokyo, Japan) 297
Use of a BBC microcomputer for the collection and processing of thermal analysis data
K.R. Franklin, A. King and B.M. Lowe (Edinburgh, Gt. Britain) 307

Notes

The vapour pressure over Al_2Se_3
G. Bardi and G. Trionfetti (Rome, Italy) 313
Thermodynamic studies of some complexes of 2-mercaptophenyl-4-benzamidothiosemicarbazide
S. Bhardwaj, M.N. Ansari and M.C. Jain (Muzaffarnagar, India) 315
Studies on double selenates. VI. Thermal decomposition of gadolinium, terbium, dysprosium and alkali metal double selenates
I. Giolito (São Paulo, Brazil) and M. Ionashiro (Araraquara, Brazil) 319
Studies on double selenates. VII. Thermal decomposition of holmium, erbium, thulium and alkali metal double selenates
M. Ionashiro (Araraquara, Brazil) and I. Giolito (São Paulo, Brazil) 327
Studies on double selenates. VIII. Thermal decomposition of ytterbium, lutetium, yttrium and alkal metal double selenates
I. Giolito (São Paulo, Brazil) and M. Ionashiro (Araraquara, Brazil) 335
A thermogravimetric study of the uptake of oxygen by $YBa_2Cu_3O_x$
K. Leroy, J. Mullens, J. Yperman, J. van Hees and L.C. van Poucke (Diepenbeek, Belgium ... 343

Instructions to Authors 347

Author Index 355

Subject Index 357